


Version number 7 (replaces version 6)

Revision: 25.02.2025





Revision: 25.02.2025

Version number 7 (replaces version 6)

Trade name: JOHA Oil varnish la, primer, color varnish colorless, coating

	(Contd. of page 1)			
H317 May caus	se an allergic skin reaction.			
	se drowsiness or dizziness.			
H412 Harmful t	o aquatic life with long lasting effects.			
• Precautionary	statements			
P101	If medical advice is needed, have product container or label at hand.			
P102	Keep out of reach of children.			
P103	Read carefully and follow all instructions.			
P210	Keep away from heat, hot surfaces, sparks, open flames and other			
	ignition sources. No smoking.			
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.			
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.			
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.			
	Rinse skin with water [or shower].			
P403+P233	Store in a well-ventilated place. Keep container tightly closed.			
P501	Dispose of contents/container in accordance with local/regional/national/			
	international regulations.			
2.3 Other hazards				
Results of PB	Γ and vPvB assessment			

• **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
EC number: 918-481-9	Kohlenwasserstoffe, C10-C13, n- Alkane, Isoalkane ringförmig <2% Aromagehalt	10-25%		
EC number: 919-857-5		≥10-<20%		
EC number: 920-134-1	Kohlenwasserstoffe, C9-C11, n-Alkane, Isoalkane, Cyclene <2% Aromaten Asp. Tox. 1, H304 Aquatic Chronic 2, H411 STOT SE 3, H336	2.5-10%		
CAS: 64742-95-6 EINECS: 265-199-0	Solvent naphtha (petroleum), light arom. Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336	≤2.5%		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3) GB



Version number 7 (replaces version 6)

Revision: 25.02.2025

Trade name: JOHA Oil varnish Ia, primer, color varnish colorless, coating

(Contd. of page 2)

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities

Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)



Version number 7 (replaces version 6)

Revision: 25.02.2025

Trade name: JOHA Oil varnish Ia, primer, color varnish colorless, coating

• 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

- Wash hands before breaks and at the end of work.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Physical state
- · Colour:
- Odour:
 Odour threshold:

Liquid According to product specification Characteristic Not determined.

(Contd. on page 5)



Version number 7 (replaces version 6)

Revision: 25.02.2025

Trade name: JOHA Oil varnish Ia, primer, color varnish colorless, coating

	(Contd. of page 4
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	162 °C
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	0.7 Vol %
Upper:	6.4 Vol %
Flash point:	24 °C
Auto-ignition temperature:	230 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	Net leters he l
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	Next actional terms of the second states and
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	Net leters he l
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of	
health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	2.5 %
Solids content:	34.9 %
	54.9 /0
Change in condition	
Change in condition Evaporation rate	Not determined.
Change in condition Evaporation rate	Not determined.
Change in condition Evaporation rate	Not determined.
Change in condition Evaporation rate Information with regard to physical hazard classes	Not determined.
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives	Not determined.
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases	Not determined.
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols	Not determined. Void Void
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases	Not determined. Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Not determined. Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Not determined. Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Not determined. Void Void Void Void Flammable liquid and vapour.
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Not determined. Void Void Void Void Void Flammable liquid and vapour. Void
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Not determined. Void Void Void Void Void Flammable liquid and vapour. Void Void
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Not determined. Void Void Void Void Void Flammable liquid and vapour. Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures	Not determined. Void Void Void Void Void Flammable liquid and vapour. Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Not determined. Void Void Void Void Void Flammable liquid and vapour. Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Not determined. Void Void Void Void Void Flammable liquid and vapour. Void Void Void Void Void Void Void



Version number 7 (replaces version 6)

Revision: 25.02.2025

Trade name: JOHA Oil varnish la, primer, color varnish colorless, coating

		(Contd. of page 5)
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

 $^{\cdot}$ 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64742-95-6 Solvent naphtha (petroleum), light arom.

Oral LD50 >6,800 mg/kg (rat)

Dermal LD50 >3,400 mg/kg (rab)

Inhalative LC50/4 h >10.2 mg/l (rat)

Respiratory or skin sensitisation May cause an allergic skin reaction.

STOT-single exposure May cause drowsiness or dizziness.

11.2 Information on other hazards

· Endocrine disrupting properties

98-54-4 4-tert-butylphenol

List I

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)



Version number 7 (replaces version 6)

Revision: 25.02.2025

(Contd. of page 6)

Trade name: JOHA Oil varnish la, primer, color varnish colorless, coating

Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

444 UN number of ID number	
 14.1 UN number or ID number ADR, IMDG, IATA 	UN1263
 14.2 UN proper shipping name ADR IMDG, IATA 	1263 PAINT PAINT
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
 14.4 Packing group ADR, IMDG, IATA 	III
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids. 30 F-E, <u>S-E</u> A
 14.7 Maritime transport in bulk accordin to IMO instruments 	ng Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 3 ml Maximum net quantity per outer packaging 1000 ml
· Transport category	3

_____ GB



Version number 7 (replaces version 6)

Revision: 25.02.2025

Trade name: JOHA Oil varnish la, primer, color varnish colorless, coating

	(Contd. of page 7
· Tunnel restriction code	D/E
·IMDG	
 Limited quantities (LQ) 	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS02 GHS07

· Signal word Warning

Hazard statements

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- Read carefully and follow all instructions. P103
- Keep away from heat, hot surfaces, sparks, open flames and other P210 ignition sources. No smoking.
- Use explosion-proof [electrical/ventilating/lighting] equipment. P241
- Avoid breathing dust/fume/gas/mist/vapours/spray. P261
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- Store in a well-ventilated place. Keep container tightly closed. P403+P233

(Contd. on page 9)

GB

GB



Safety data sheet according to UK REACH

Printing date 10.03.2025

Version number 7 (replaces version 6)

Revision: 25.02.2025

Trade name: JOHA Oil varnish la, primer, color varnish colorless, coating

P501

(Contd. of page 8) Dispose of contents/container in accordance with local/regional/national/ international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment:
- A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H272 May intensify fire; oxidiser.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

- H411 Toxic to aquatic life with long lasting effects.
- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Hammerl
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Ox. Liq. 2: Oxidizing liquids - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 * Data compared to the previous version altered.